

DFL7361 Tier 2

(Rev. 1.00)

| | |
|------------------|--|
| Trainee (受講者) | |
| Company (会社名) | |

| | |
|--------------------|--|
| Period (期間) | |
| Trainer (トレーナー) | |

| Module (モジュール) | Page (ページ) | Machine Manual (装置マニュアル) | | | Sign-off (サインオフ欄) | | |
|---|---------------|-----------------------------|--------------------------|---|----------------------|------------------|--------------------|
| | | Type (種別) | Chapter (章) | Section (セクション) | Date (日付) | Trainee (受講者) | Trainer (トレーナー) |
| Day 1 | | | | | | | |
| 1. Safety Information | | | | | | | |
| 1.1. Interpret Safety Precautions for Maintenance Personnel | 44 | SAF | - | 2-2. Inherently Hazardous Areas for Maintenance and Ways to Avoid Hazards | | | |
| 1.2. Interpret Interlock Mechanism for Maintenance | 61 | SAF | - | 5. Interlock Mechanism | | | |
| | 63 | SAF | - | 5-1. Positions and Functions of Interlock Devices | | | |
| | 72 | SAF | - | 5-2. User Interlock | | | |
| | 73 | SAF | - | 5-3. Interlock List | | | |
| 1.3. Interpret Machine Components and Functions | 795 | MNT | A | 1. Configuration of the Cover | | | |
| | 796 | MNT | A | 1-1. Machine Outer Cover | | | |
| | 801 | MNT | A | 1-2. Transport Section Cover/Processing Section Cover/Load Shutter Cover | | | |
| | 802 | MNT | A | 1-3. Cassette Section Cover | | | |
| | 803 | MNT | A | 2. Axis Section | | | |
| | 804 | MNT | A | 2-1. Axis Arrangement | | | |
| | 806 | MNT | A | 2-2. X-axis Section | | | |
| | 808 | MNT | A | 2-3. Y-axis Section | | | |
| | 810 | MNT | A | 2-4. Z-axis Section | | | |
| | 812 | MNT | A | 2-5. θ-axis Section | | | |
| | 815 | MNT | A | 2-6. Robot Section | | | |
| | 817 | MNT | A | 2-7. Cassette Section | | | |
| | 818 | MNT | A | 2-8. Pre-alignment Section | | | |
| | 819 | MNT | A | 2-9. Transport Section | | | |
| 822 | MNT | A | 2-10. Microscope Section | | | | |
| 823 | MNT | A | 2-11. Laser Unit Section | | | | |
| 2. Device Data Related Screen | | | | | | | |
| 2.1. Perform Device Data Operation | 506 | DAT | B | 1-5. Device Data Operation Screens | | | |
| 2.2. Edit Device Data | 522 | DAT | B | 1-6-1. DEVICE DATA Screen [3.1.2] | | | |
| | 634 | DAT | B | 2-3-1-1. A Cutting Mode | | | |
| | 635 | DAT | B | 2-3-1-2. B Cutting Mode | | | |
| | 636 | DAT | B | 2-3-1-3. A_UP Cutting Mode | | | |
| | 637 | DAT | B | 2-3-1-4. B_UP Cutting Mode | | | |
| 2.3. Measure Index Pitch | 693 | DAT | B | 4-2. Measure Function | | | |
| 2.4. Set Up Sub Index Data | 527 | DAT | B | 1-6-2. SUB INDEX DATA Screen [3.1.5] | | | |
| 2.5. Set Up Street Cut Sequence Data | 535 | DAT | B | 1-6-3. STREET CUT SEQUENCE DATA Screen [3.1.2.1] | | | |
| 2.6. Set Up Alignment Data | 539 | DAT | B | 1-6-4. ALIGNMENT DATA Screen [3.1.3] | | | |
| 2.7. Set Up Process Control Table | 546 | DAT | B | 1-6-6. PROCESS CONTROL TABLE Screen [3.1.6] | | | |
| 2.8. Set Up Kerf Check Data | 553 | DAT | B | 1-6-7. KERF CHECK DATA Screen [3.1.8] | | | |
| 2.9. Execute Remedies for Kerf Check Errors | 610 | DAT | B | 1-8-6. ERROR RECOVERY (KERF CHECK) Screen | | | |
| 2.10. Set Up SD Engine Data | 559 | DAT | B | 1-6-9. SD ENGINE DATA Screen [3.1.1] | | | |
| 2.11. Set Up Laser Just Focus Data | 565 | DAT | B | 1-6-10. LASER JUST FOCUS DATA Screen [3.1.1.2] | | | |
| 2.12. Set Up Sequence Screen | 570 | DAT | B | 1-6-11. SEQUENCE Screen [3.1.7] | | | |
| 2.13. Set Up Pre Alignment Screen | 572 | DAT | B | 1-6-12. PRE ALIGNMENT Screen [3.1.3.P] | | | |

| Module (モジュール) | Page (ページ) | Machine Manual (装置マニュアル) | | | Sign-off (サインオフ欄) | | |
|---|---------------|-----------------------------|----------------|--|----------------------|------------------|--------------------|
| | | Type (種別) | Chapter (章) | Section (セクション) | Date (日付) | Trainee (受講者) | Trainer (トレーナー) |
| Day 2 | | | | | | | |
| 3. Alignment Teach | | | | | | | |
| 3.1. Execute Alignment Teach | 657 | DAT | B | 3. Teach | | | |
| | 658 | DAT | B | 3-1. Teach Operation | | | |
| 3.2. Excute Reticle Focus Adjustment | 500 | DAT | B | 1-4-10. RETICLE FOCUS ADJ Screen | | | |
| 4. Operator Maintenance | | | | | | | |
| 4.1. Set Up Parameters on FUNCTION DATA Screen | 698 | DAT | B | 4-3-1. FUNCTION DATA MAINTENANCE Screen [5.3] | | | |
| 4.2. Set Up Parameters on OPERATION DATA MAINTENANCE Screen | 701 | DAT | B | 4-3-2. OPERATION DATA MAINTENANCE Screen [5.3.1] | | | |
| 4.3. Save and Load Device Data | 725 | DAT | B | 4-4-2. LOAD DEVICE DATA Screen [5.4.1] | | | |
| | 727 | DAT | B | 4-4-3. SAVE DEVICE DATA Screen [5.4.2] | | | |
| 4.4. Save and Restore the Machine Data | 732 | DAT | B | 4-4-7. Machine Data Backup Function | | | |
| | 733 | DAT | B | 4-4-8. Machine Data Restoring Function | | | |
| 5. Machine Maintenance | | | | | | | |
| 5.1. Replace the Chuck Table | 838 | MNT | B | 1. Replacing the Chuck Table | | | |
| | 840 | MNT | B | 1-1. Removing the Chuck Table | | | |
| | 842 | MNT | B | 1-2. Mounting the Chuck Table | | | |
| 5.2. Perform Focus Maintenance | 759 | DAT | B | 5-5. Focus Maintenance | | | |
| 5.3. Replace the Robot Pick | 848 | MNT | B | 2. Replacing the Robot Pick | | | |
| | 850 | MNT | B | 2-1. Preparation of Replacing the Robot Pick | | | |
| | 852 | MNT | B | 2-2. Replacing the Robot Pick | | | |
| | 857 | MNT | B | 2-3. Completion of Replacing the Robot Pick | | | |
| 5.4. Change the Frame Size | 858 | MNT | B | 3. Changing the Workpiece Size | | | |
| | 859 | MNT | B | 3-1. Calling Up the SIZE SWITCH Screen [6.1] | | | |
| | 861 | MNT | B | 3-2. Changing the Workpiece Size | | | |
| 6. Log Viewer | | | | | | | |
| 6.1. Use Log Viewer | 263 | OPE | B | 6. Log Viewer | | | |
| | 264 | OPE | B | 6-1. LOG VIEWER Screen | | | |
| | 270 | OPE | B | 6-2. Search | | | |
| | 274 | OPE | B | 6-3. Query | | | |
| | 293 | OPE | B | 6-4. Saving Data to External Storage Device | | | |
| | 770 | DAT | - | APPENDIX 1. EVENT DATA LIST | | | |
| 7. Laser Maintenance | | | | | | | |
| 7.1. Execute Attenuator Adjustment | 582 | DAT | B | 1-7-5. ATTENUATOR MAINTENANCE Screen [4.4] | | | |

| Module (モジュール) | Page (ページ) | Machine Manual (装置マニュアル) | | | Sign-off (サインオフ欄) | | |
|---|---------------|-----------------------------|----------------|--|----------------------|------------------|--------------------|
| | | Type (種別) | Chapter (章) | Section (セクション) | Date (日付) | Trainee (受講者) | Trainer (トレーナー) |
| Day 3 | | | | | | | |
| 8. Engineering Maintenance | | | | | | | |
| 8.1. Perform Axis Operation | 883 | MNT | C | 3. Axis Operation Check | | | |
| 8.2. Operate Digital I/O Check Function | 888 | MNT | C | 4-1. I/O Check | | | |
| 8.3. Set Up Passwords and User Define Data | 896 | MNT | C | 5-1. Setting on USER DEFINE DATA Screen [7.4] | | | |
| 9. Non-periodic Maintenance | | | | | | | |
| 9.1. Adjust the Sensor Threshold | 862 | MNT | B | 4. Sensor Adjustment | | | |
| | 863 | MNT | B | 4-1. Pressure Sensor | | | |
| | 867 | MNT | B | 4-2. Air Pressure Sensor Adjustment | | | |
| | 871 | MNT | B | 4-3. Setting a Monitor Value of Clean Air Pressure | | | |
| | 873 | MNT | B | 4-4. Setting a Monitor Value of Vacuum Pressure | | | |
| | 766 | DAT | B | 5-6. Setting the Analog Sensor Threshold | | | |
| 10. Periodic Maintenance | | | | | | | |
| 10.1. Clean the Ionizer's Electrode Probes [Optional Accessory] | 972 | MNT | E | 1-2. Cleaning the Ionizer's Electrode Probes [Optional Accessory] | | | |
| 10.2. Clean the Pre-Filter (Processing Section Clean Unit) [Optional Accessory] | 989 | MNT | E | 1-3. Cleaning the Pre-filter (Processing Section Clean Unit) [Optional Accessory] | | | |
| 10.3. Clean the Pre-Filter (Transport Section Clean Unit) [Optional Accessory] | 996 | MNT | E | 1-4. Cleaning the Pre-filter (Transport Section Clean Unit) [Optional Accessory] | | | |
| 10.4. Clean the Focusing Lens | 1003 | MNT | E | 1-5. Cleaning the Focusing Lens | | | |
| 10.5. Clean the Robot Pick | 1016 | MNT | E | 2-1-2. Cleaning of Robot Pick | | | |
| 10.6. Check the Power Meter Light Receiving Unit | 1020 | MNT | E | 3-1. Checking the Power Meter Light Receiving Unit | | | |
| 10.7. Check the Focusing Lens | 1022 | MNT | E | 3-2. Checking the Focusing Lens | | | |
| 10.8. Replace the Coolant of the Chiller | 1025 | MNT | E | 4-1. Replacement of Cooling Water of Chiller | | | |
| 10.9. Check the Air Blower Filter | 1034 | MNT | E | 5-1. Checking the Air Blower Filter | | | |
| 10.10. Grease the X-axis | 1036 | MNT | E | 6-1. Greasing the X-axis | | | |
| 10.11. Grease the θ -axis Sensor Assembly Section | 1041 | MNT | E | 6-2. Greasing the θ -axis Sensor Assembly Section | | | |
| 10.12. Grease the Y-axis | 1048 | MNT | E | 7-1. Greasing the Y-axis | | | |
| 11. Consumable Parts Replacement | | | | | | | |
| 11.1. Replace the Air Clean Unit Consumable Part | 1061 | MNT | F | 1-1. Replacing the Air Clean Unit Consumable Parts | | | |
| 11.2. Replace the Air Blower Filter | 1069 | MNT | F | 1-2. Replacing the Air Blower Filter | | | |
| 11.3. Perform Maintenance of the Vacuum Unit | 1071 | MNT | F | 1-3. Maintenance of the Vacuum Unit | | | |
| 11.4. Replace the Chuck Table Center Ring | 1086 | MNT | F | 3-1. Replacing the Chuck Table Center Ring | | | |
| 11.5. Replace the Halogen Lamp | 1090 | MNT | F | 5-1. Replacing the Halogen Lamp | | | |
| 11.6. Replace the Ionizer's Electrode Probes [Optional Accessory] | 1097 | MNT | F | 5-2. Replacement of the Ionizer's Electrode Probes [Optional Accessory] | | | |
| 11.7. Replace the Air Filter (Processing Section Clean Unit) [Optional Accessory] | 1109 | MNT | F | 5-3. Replacing the Air Filter (Processing Section Clean Unit) [Optional Accessory] | | | |
| 11.8. Replace the Air Filter (Transport Section Clean Unit) [Optional Accessory] | 1117 | MNT | F | 5-4. Replacing the Air Filter (Transport Section Clean Unit) [Optional Accessory] | | | |
| APPENDIX | | | | | | | |
| (APPENDIX) Intervals of Maintenance and Periodic Inspection | 1132 | MNT | - | CHECK SHEET 1 - MAINTENANCE AND PERIODIC INSPECTION - | | | |
| (APPENDIX) Intervals of Consumable Parts Replacement | 1133 | MNT | - | CHECK SHEET 2 - CONSUMABLE PARTS REPLACEMENT - | | | |

Course composition, intended trainees and course objective

| Course Name | Intended Trainees | Course Objective |
|-------------|--|---|
| Tier 1 | who operates the machine to process products | → To enable trainees to understand the terms necessary for operating the machine and to process products by calling up the data set in the machine |
| Tier 2 | - who has already completed the "Tier 1" course (or has equivalent operation skills) - who conducts data and function settings of the machine - who conducts periodic maintenance of the machine | → - To enable trainees to create the data and set the data and functions for operating the - To enable trainees to safely and precisely perform the periodic maintenance and consumable parts replacement described in the Maintenance Manual of the machine |
| Tier 3 | - who has already completed the "Tier 2" course (or has equivalent operation skills) - who conducts maintenance works which are not described in the Maintenance Manual of the machine | → To enable trainees to conduct maintenance works which are not described in the machine Maintenance Manual (only the items that can be executed without any special tools or access to the internal Maker Data) |